



**STATE OF NEW JERSEY  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
WATERSHED & LAND MANAGEMENT**  
Mail Code 501-02A, P.O. Box 420, Trenton, New Jersey 08625-0420  
Telephone: (609) 777-0454 or Fax: (609) 777-3656  
www.nj.gov/dep/landuse



## PERMIT

<p>In accordance with the laws and regulations of the State of New Jersey, the Department of Environmental Protection hereby grants this permit to perform the activities described below. This permit is revocable with due cause and is subject to the terms, conditions, and limitations listed below and on the attached pages. For the purpose of this document, "permit" means "approval, certification, registration, authorization, waiver, etc." Violation of any term, condition, or limitation of this permit is a violation of the implementing rules and may subject the permittee to enforcement action.</p>		Approval Date <b>09/30/2025</b>
		Expiration Date <b>09/29/2030</b>
<b>Permit Number:</b> 1808-04-0016.1 LUP250002	<b>Type of Approvals:</b> FHA Individual Permit Verification-Method 5 (Approximation Method) Verification-Method 1 (DEP Delineation)	<b>Governing Rule:</b> N.J.A.C. 7:13-1.1(b)
<b>Permittee:</b> Daniel Vladyka Ukrainian Orthodox Church of USA 135 Davidson Avenue Somerset, NJ 08873	<b>Site Location:</b> Block & Lot: [469, 1.06] Municipality: Franklin Twp County: Somerset	
<b>Description of Authorized Activities:</b>  <p>This document verifies the flood hazard area design flood limits of an unnamed tributary to the Raritan River, and authorizes the expansion of existing parking areas associated with the existing church development, as well as a new sidewalk along Davidson Avenue and associated stormwater management facilities on the parcel referenced above.</p> <p><i>The Department has determined that the herein approved activities meet the requirements of the (FHACA/CZM) rules. This approval does not obviate the local Floodplain Administrator's responsibility to ensure all development occurring within their community's Special Flood Hazard Area is compliant with the local Flood Damage Prevention Ordinance, and minimum NFIP standards, regardless of any state-issued permits. FEMA requires communities to review and permit all proposed construction or other development within their SFHA in order to participate in the NFIP.</i></p>		
<b>Prepared by:</b>  Danielle L Ashmen	<b>Received and/or Recorded by County Clerk:</b>	
<p>If the permittee undertakes any regulated activity, project, or development authorized under this permit, such action shall constitute the permittee's acceptance of the permit in its entirety as well as the permittee's agreement to abide by the requirements of the permit and all conditions therein.</p>		
<b>This permit is not valid unless authorizing signature appears on the last page.</b>		

**STATEMENT OF AUTHORIZED IMPACTS:**

The authorized activities allow for the permittee to undertake impacts to regulated areas as described below. Additional impacts to regulated areas without prior Department approval shall constitute a violation of the rules under which this document is issued and may subject the permittee and/or property owner to enforcement action, pursuant to N.J.A.C. 7:13-2.18.

<b>Riparian Zone Vegetation</b>	<b>Area of riparian zone (Acres)</b>
<b>Permanent Disturbed</b>	<b>0</b>
<b>Temporary Disturbed</b>	<b>0</b>

**PRE-CONSTRUCTION CONDITIONS:**

1. Prior to the commencement of site clearing, grading, or construction onsite, the permittee shall install a sediment barrier at the limits of disturbance authorized herein, which is sufficient to prevent the sedimentation of the remaining freshwater wetlands and transition areas and shall serve as a physical barrier protecting these areas from encroachment by construction vehicles or other soil-disturbing activities. All sediment barriers and soil erosion control measures shall be kept in place and maintained throughout the duration of construction, until such time that the site is stabilized.
2. This portion of the permit verifies the flood hazard area design flood elevation of 34.3 to 34.6 feet NAVD88. This permit shall be recorded in its entirety in the office of the County Clerk or the Registrar of Deeds and Mortgages for each county where this project is located. Verified notice of this action shall be forwarded to the Division immediately thereafter. NOTE: The following information is to be submitted to the clerk for all Flood Hazard Area Verifications:
  - a. The Department file number for the verification;
  - b. The approval and expiration dates of the verification;
  - c. A metes and bounds description of any flood hazard area limit and/or floodway limit approved under the verification;
  - d. The flood hazard area design flood elevation, or range of elevations if variable, approved under the verification;
  - e. The width and location of any riparian zone approved under the verification; and
  - f. The following statement: “The State of New Jersey has determined that all or a portion of this lot lies in a flood hazard area. Certain activities in flood hazard areas are regulated by the New Jersey Department of Environmental Protection and some activities may be prohibited on this site or may first require a permit. Contact the Watershed and Land Management Program at (609) 777-0454 for more information prior to any construction onsite.”
3. Prior to the start of any construction onsite, the permittee/owner shall record a deed notice for all stormwater management measures authorized under this permit which shall be recorded in the Office of the County Clerk or the registrar of deeds and mortgages of the county in which the development, project, project site, or mitigation area containing the stormwater management measure is located. A form of deed notice shall be submitted to the Watershed and Land Management Program (Program) for approval prior to filing. The deed notice shall contain a description of the stormwater management measure(s) used to meet the green infrastructure, groundwater recharge, stormwater

runoff quality, and stormwater runoff quantity standards at N.J.A.C. 7:8-5.3, 5.4, 5.5, and 5.6 and shall identify the location of the stormwater management measure(s) in NAD 1983 State Plane New Jersey FIPS 2900 US Feet or Latitude and Longitude in decimal degrees. The deed notice shall also reference the maintenance plan required to be recorded upon the deed pursuant to N.J.A.C. 7:8-5.8(d). Prior to the commencement of construction, proof that the above required deed notice has been filed shall be submitted to the Program. Proof that the required information has been recorded on the deed shall be in the form of either a copy of the complete recorded document or a receipt from the clerk or other proof of recordation provided by the recording office. However, if the initial proof provided to the Program is not a copy of the complete recorded document, a copy of the complete recorded document shall be provided to the Program within 180 calendar days of the authorization granted by the Program.

### **SPECIAL CONDITIONS:**

1. All excavated material must be disposed of in a lawful manner outside of any flood hazard area, riparian zone, open water, freshwater wetland, and adjacent transition area, and in such a way as to not interfere with the positive drainage of the receiving area.
2. Construction equipment shall not be stored, staged or driven within any channel, freshwater wetland or transition area, unless expressly approved by this permit and/or described on the approved plans.
3. The applicant must adhere to the operations and maintenance plan for the stormwater management measures incorporated into the design of this major development in accordance with N.J.A.C. 7:8-5.8. Guidance set forth in the New Jersey Stormwater Best Management Practices Manual should be followed to the maximum extent practicable.
4. The Department has determined that this project meets the requirements of the Stormwater Management rules at N.J.A.C. 7:8. Any future expansion or alteration of the approved stormwater management system, which would affect water quality, increase the rate or volume of stormwater leaving the site, affect the infiltration capacity on the site, or alter the approved green infrastructure best management practices, shall be reviewed and approved by the Department by obtaining a modification or new permit as appropriate prior to construction. This includes any proposed changes to the discharge characteristics of any basin, the construction of new inlets or pipes that tie into the storm sewer network and/or the replacement of existing inlets or pipes with structures of different capacity.
5. Any future expansion or alteration of the approved site layout and/or land cover which would affect water quality, increase the rate or volume of stormwater leaving the site, or affect the infiltration capacity on the site, shall be reviewed and approved by the Department prior to construction.
6. To reduce the risk of harm to the federally listed endangered species Indiana bat (*Myotis sodalis*) and Northern Long-eared Bat (*Myotis septentrionalis*), and the proposed federal listing species Tricolored Bat (*Perimyotis subflavus*), and potential violation of the NJ Endangered and Nongame Species Conservation Act (ENSCA; N.J.S.A. 23:2a-1-13), and to reduce the risk of direct impacts to sensitive habitat, the permittee shall adhere to a seasonal restriction on the clearing of all woody vegetation onsite ***from April 1<sup>st</sup> to September 30<sup>th</sup> of each calendar year throughout the validity of this permit.***
7. Construction equipment shall not be stored, staged, or driven within any regulated areas onsite, unless expressly approved by this permit or described on the approved plans.

8. The Department has determined that the riparian zone along Raritan River UNT is 150 feet and does not encroach into the project area.
9. This authorization for a General Permit is valid for a term not to exceed five years from the date of this permit. If the permittee wishes to continue an activity covered by the permit after the expiration date of the permit, the permittee must apply for and obtain a permit extension or a new permit, prior to the permit's expiration. If the term of the authorization exceeds the expiration date of the general permit issued by rule, and the permit upon which the authorization is based is modified by rule to include more stringent standards or conditions, or is not reissued, the applicant must comply with the requirements of the new regulations by applying for a new GP authorization or an Individual permit.

#### **STANDARD CONDITIONS:**

1. The issuance of a permit shall in no way expose the State of New Jersey or the Department to liability for the sufficiency or correctness of the design of any construction or structure(s). Neither the State nor the Department shall, in any way, be liable for any loss of life or property that may occur by virtue of the activity or project conducted as authorized under a permit.
2. The issuance of a permit does not convey any property rights or any exclusive privilege.
3. The permittee shall obtain all applicable Federal, State, and local approvals prior to commencement of regulated activities authorized under a permit.
4. A permittee conducting an activity involving soil disturbance, the creation of drainage structures, or changes in natural contours shall obtain any required approvals from the Soil Conservation District or designee having jurisdiction over the site.
5. The permittee shall take all reasonable steps to prevent, minimize, or correct any adverse impact on the environment resulting from activities conducted pursuant to the permit, or from noncompliance with the permit.
6. The permittee shall immediately inform the Department of any unanticipated adverse effects on the environment not described in the application or in the conditions of the permit. The Department may, upon discovery of such unanticipated adverse effects, and upon the failure of the permittee to submit a report thereon, notify the permittee of its intent to suspend the permit.
7. The permittee shall immediately inform the Department by telephone at (877) 927-6337 (WARN DEP hotline) of any noncompliance that may endanger public health, safety, and welfare, or the environment. The permittee shall inform the Watershed & Land Management by telephone at (609) 777-0454 of any other noncompliance within two working days of the time the permittee becomes aware of the noncompliance, and in writing within five working days of the time the permittee becomes aware of the noncompliance. Such notice shall not, however, serve as a defense to enforcement action if the project is found to be in violation of this chapter. The written notice shall include:
  - i. A description of the noncompliance and its cause;
  - ii. The period of noncompliance, including exact dates and times;

- iii. If the noncompliance has not been corrected, the anticipated length of time it is expected to continue; and
  - iv. The steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.
8. Any noncompliance with a permit constitutes a violation of this chapter and is grounds for enforcement action, as well as, in the appropriate case, suspension and/or termination of the permit.
9. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the authorized activity in order to maintain compliance with the conditions of the permit.
10. The permittee shall employ appropriate measures to minimize noise where necessary during construction, as specified in N.J.S.A. 13:1G-1 et seq. and N.J.A.C. 7:29.
11. The issuance of a permit does not relinquish the State's tidelands ownership or claim to any portion of the subject property or adjacent properties.
12. The issuance of a permit does not relinquish public rights to access and use tidal waterways and their shores.
13. The permittee shall allow an authorized representative of the Department, upon the presentation of credentials, to:
  - i. Enter upon the permittee's premises where a regulated activity, project, or development is located or conducted, or where records must be kept under the conditions of the permit;
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit; and
  - iii. Inspect, at reasonable times, any facilities, equipment, practices, or operations regulated or required under the permit. Failure to allow reasonable access under this paragraph shall be considered a violation of this chapter and subject the permittee to enforcement action.
14. The permittee shall not cause or allow any unreasonable interference with the free flow of a regulated water by placing or dumping any materials, equipment, debris or structures within or adjacent to the channel while the regulated activity, project, or development is being undertaken. Upon completion of the regulated activity, project, or development, the permittee shall remove and dispose of in a lawful manner all excess materials, debris, equipment, and silt fences and other temporary soil erosion and sediment control devices from all regulated areas.
15. The permittee and its contractors and subcontractors shall comply with all conditions, site plans, and supporting documents approved by the permit.
16. All conditions, site plans, and supporting documents approved by a permit shall remain in full force and effect, so long as the regulated activity, project, or development, or any portion thereof, is in existence, unless the permit is modified pursuant to the rules governing the herein approved permits.
17. The permittee shall perform any mitigation required under the permit in accordance with the rules governing the herein approved permits.

18. If any condition or permit is determined to be legally unenforceable, modifications and additional conditions may be imposed by the Department as necessary to protect public health, safety, and welfare, or the environment.
19. Any permit condition that does not establish a specific timeframe within which the condition must be satisfied (for example, prior to commencement of construction) shall be satisfied within six months of the effective date of the permit.
20. A copy of the permit and all approved site plans and supporting documents shall be maintained at the site at all times and made available to Department representatives or their designated agents immediately upon request.
21. The permittee shall provide monitoring results to the Department at the intervals specified in the permit.
22. A permit shall be transferred to another person only in accordance with the rules governing the herein approved permits.
23. A permit can be modified, suspended, or terminated by the Department for cause.
24. The submittal of a request to modify a permit by the permittee, or a notification of planned changes or anticipated noncompliance, does not stay any condition of a permit.
25. Where the permittee becomes aware that it failed to submit any relevant facts in an application, or submitted incorrect information in an application or in any report to the Department, it shall promptly submit such facts or information.
26. The permittee shall submit email notification to the Bureau of Coastal & Land Use Compliance & Enforcement at [CLU\\_tomsriver@dep.nj.gov](mailto:CLU_tomsriver@dep.nj.gov) at least 3 days prior to commencement of site preparation and/or regulated activities, whichever comes first. The notification shall include proof of completion of all pre-construction conditions, including proof of recording of permits, approved plans and/or conservation easements, if required. The permittee shall allow an authorized Bureau representative on the site to inspect to ensure compliance with this permit.
27. The permittee shall record the permit, including all conditions listed therein, with the Office of the County Clerk (the Registrar of Deeds and Mortgages, if applicable) of each county in which the site is located. The permit shall be recorded within 30 calendar days of receipt by the permittee, unless the permit authorizes activities within two or more counties, in which case the permit shall be recorded within 90 calendar days of receipt. Upon completion of all recording, a copy of the recorded permit shall be forwarded to Watershed & Land Management through the DEP Online service. The uploaded documents will go directly into the Department's database, and staff will be notified that information has been received. The service can be found at: <https://dep.nj.gov/wlm/eservices/lrp-eservices/>.

#### **APPROVED PLANS:**

The drawings hereby approved consists of six (6) sheets prepared by Daniel Miola, P.E. of Langan Engineering and Environmental Services, LLC, entitled:

“1950 EASTON AVE – CHURCH TOWNSHIP OF FRANKLIN SOMERSET COUNTY NEW JERSEY”

“UTILITY PLAN”, Sheet No 9 of 25, dated January 17, 2025, last revised September 3, 2025, 2025;

“LANDSCAPE PLAN”, Sheet No. 12 of 25, dated January 15, 2025, last revised August 19, 2025;

“LANDSCAPE NOTES & DETAILS”, Sheet No. 13 of 25, dated January 15, 2025, last revised August 19, 2025;

“CONSTRUCTION DETAILS 4”, Sheet No. 24 of 25 dated January 17, 2025, last revised August 20, 2025; and

“FLOOD HAZARD AREA VERIFICATION PLAN – EXISTING CONDITIONS”, Sheet No. 1 of 1, prepared by Thomas J. Reeves, P.L.S. and Daniel Miola, P.E. of Langan Engineering and Environmental Services, LLC dated March 14, 2025, last revised September 2, 2025;

“FLOOD HAZARD AREA – PERMITTING PLAN”, Sheet No. 1 of 1, dated April 30, 2025, last revised September 2, 2025.

#### **APPEAL OF DECISION:**

Any person who is aggrieved by this decision may submit an adjudicatory hearing request within 30 calendar days after public notice of the decision is published in the DEP Bulletin (available at <https://dep.nj.gov/bulletin/>). If a person submits the hearing request after this time, the Department shall deny the request. The hearing request must include a completed copy of the Administrative Hearing Request Checklist (available at <https://dep.nj.gov/wlm/forms/>). A person requesting an adjudicatory hearing shall submit the original hearing request to: NJDEP Office of Administrative Hearings and Dispute Resolution, Attention: Adjudicatory Hearing Requests, Mail Code 401-07A, P.O. Box 420, 401 East State Street, 7th Floor, Trenton, NJ 08625-0420. Additionally, a copy of the hearing request shall be submitted to the Director of Watershed & Land Management at the address listed on page one of this permit. In addition to your hearing request, you may file a request with the Office of Dispute Resolution to engage in alternative dispute resolution. Please see [www.nj.gov/dep/odr](http://www.nj.gov/dep/odr) for more information on this process.

If you need clarification on any section of this permit or conditions, please contact Watershed & Land Management’s Technical Support Call Center at (609) 777-0454.

Approved By:



Digitally signed by Dennis Contois

Date: 2025.09.30 13:52:26 -04'00'

---

Dennis Contois, Supervisor  
Watershed & Land Management

c: Municipal Clerk, Franklin Township  
Municipal Construction Official, Franklin Township

Agent (original) – Daniel Miola, PE, Langan Engineering and Environmental Services, LLC